
<u>developer.5g-mag.com</u>

ŊÅ[V₃C **Immersive** Platform










- A **Unity project** is provided to decode and play V3C contents in Unity. The V3C Player can render in real-time 2D and volumetric video format: MPEG-I V-PCC, MPEG-I MIV.
- The Unity player uses the **decoder plugin library**. Also provided in that repository are V-PCC and MIV (MVD and MPI) synthesizers plugins needed for the rendering of the V3C contents.
- A library with test V3C content is provided to load content in the player.




All the Technical Resources Information on Standards Reference Tools available:

Project: V3C Immersive Platform



WHERE TO LOOK AT?







#	Repository	Standards	License	Dependencies	Software
VI O	-v3c-unity-player /3C Unity Player)	MPEG	5G-MAG PLv1.0	₩ Unity	
V2 r (- v3c-decoder-plugin /3C Decoder plugin)	MPEG	5G-MAG PLv1.0		
V3 r i	-v3c-content /3C Pre-encoded Test Content)	MPEG	Multiple		















Content Playback & Rendering

- A Unity package (rt-v3c-unity-player) is provided to decode and play V3C contents in Unity. The V3C Player can render in real-time 2D and volumetric video format: MPEG-I V-PCC, MPEG-I MIV.
- The Unity player uses the **decoder plugin** library (rt-v3c-decoder-plugin). Also provided in that repository are V-PCC and MIV (MVD and MPI) synthesizers plugins needed for the rendering of the V3C contents.
- The V3C Player will help developers to get started with standardized technologies and their integration into 5G-MAG

Content Streaming


- MPEG-DASH is an international standard widely used for 2D VOD streaming
- MPEG-I/V3C Carriage adds V3C support to MPEG DASH











Ingest pre-recorded 2D and Volumetric Video content Real-time streaming and rendering



- A V3C simple player (Unity application) is available to visualize volumetric video contents and dynamically interact with them
- V3C test contents are provided for V-PCC, MIV MVD and MIV MPI







V-PCC test content - Soccer Red

- Point cloud frames quantized to 1024-sized cube
- 60 4K cameras hemispheric rig
- 32 frames at 25 FPS
- Dynamic point cloud object
- Encoded with V-PCC test model R24.0
- Profile HEVC Main10 V-PCC Basic Rec0
- **XD Productions Content**

MIV MVD test content - DanceB

- Acquired using 6 physical cameras
- Estimation of depth maps, object label maps, and background view.
- 128 frames at 15 FPS
- Geometry, Texture and Transparency atlases
- Encoded with MIV test model v19.1
- HEVC Main10 MIV Extended Level 2.5
- Philips content

MIV MPI test content - Mannequin

- CGI content recorded in Unity
- 15 FHD virtual cameras in Unity
- 32 frames at 25 FPS
- Texture and Transparency atlases
- Encoded with MIV test model v19.1
- Profile MIV Extended MPI
- InterDigital content






Volumetric Video Experiences with MPEG V3C

Reference Tools, what is being implemented?

V3C Decoder Plugin with support of ISO/IEC 23090-5

- v0.5:
 - added support error handling (nw access)
- v0.4:
 - updated tools, build & doc, local and remote test content
- v0.3:
 - support for V3C DASH streaming (Client) on Windows and Android
- v0.2:
 - support of V3C MIV (MVD) bitstream defined in 23090-12,
 - support of Carriage of V3C data defined in 23090-10 (Windows)
- v0.1: Initial version
 - V3C decoder and renderer of V-PCC bitstream defined in ISO/IEC 23090-5,
 - V3C MIV (MPI) bitstream defined in 23090-12,
 - local playback on Windows and Android






Volumetric Video Experiences with MPEG V3C


Reference Tools, what is being implemented?

V3C Decoder Plugin with support of ISO/IEC 23090-5

- V1.0:
- Add support for MPEG Haptics defined in ISO/IEC 23090-31 and Carriage of haptics data defined in ISO/IEC 23090-32:
 - Both .hijf and .hmpg file formats
 - Support for vibrations with time, duration and intensity.
 - Synchronized with the video.



- Modularization of the networking interface:
 - Plug-in for MPEG DASH
 - Ability to add plug-ins for WebRTC, RTP, etc.






Volumetric Video Experiences with MPEG V3C

Reference Tools, what is being implemented?

V3C Decoder Plugin with support of ISO/IEC 23090-5

- This release improves V-PCC rendering
- Adds source code for Haptic (decoder & synthesizer) and V-PCC (synthesizer)



Local

Storage

Under investigation

General improvements

- More, diverse, better content from multiple sources
- Better synthesizers

V3C Decoder Plugin

- Support for streaming of haptics data over DASH
- Support for real-time protocol, e.g. RTP, WebRTC
- Support for additional synthesizer, e.g. V-DMC

V3C Unity Player – advanced scene (VR/AR)

- Support for advanced use case, e.g. AR, XR
- Support for new devices, e.g stereoscopic Head Mounted Display (HMD)

5G-MAG RT Integration

- Link between XR and V3C?
- Link between 5GMS and V3C?
- Link with FS_Beyond2D evaluation framework





Check our Tutorials and join the Developer Community

How to use the tools? Check the GitHub Tutorials


















5G-MAG Reference Tools in action





Visit <u>www.5g-mag.com</u> or contact us for more information

Eva Markvoort - Membership markvoort@5g-mag.com Jordi J. Gimenez - Technology gimenez@5g-mag.com